### INFLUENCE OF SPECIFIC GRAVITY OF URINE ON ATTACHED EAR LOBE

Muhammad Imran Qadir, Fakhra Batool, Asma rasheed\*

Institute of Molecular Biology and Biotechnology, Bahauddin Zakariya University, Multan, Pakistan

#### **ABSTRACT**

Objective of present study show influence of specific gravity of urine with attached ear lobe. The test of urine specific gravity provides in sequence concerning how well the kidneys deliberate the urine and a people hydration standing. The main purpose of the kidneys is to uphold a well liquid and electrolyte balance. The kidneys emit overload water and minerals from the body in the shape of urine. What time the body requirements more water, the kidneys hold solution. The dipstick is used for evaluation of specific gravity of urine. When the dipstick is dipped into urine solution then the color changed and when color changed the urine is present. This shows that the specific gravity of urine has no relation with attached ear lobe.

**KEY WORDS:** Specific gravity, free ear lobe, dipstick



### INTRODUCTION

The test of urine specific gravity provides in sequence concerning how well the kidneys deliberate the urine and a people hydration standing. The main purpose of the kidneys is to uphold a well liquid and electrolyte balance. The kidneys emit overload water and minerals from the body in the shape of urine. What time the body requirements more water, the kidneys hold solution.

Some ear lobes are intermediate and we can't distinguish that they are joined or free ear lobe. This shoes that instead of two types there is constant difference in the altitude of the ear lobe. My possess earlobes are precisely middle in among the two types. I couldn't inform you whether my earlobes should be measured unattached or joined. According to this there is also a third category which shows distinction. Although there is possibly several hereditary control on earlobe connection position, ancestors studies illustrate that it does not vigorous the uncomplicated one-locus, two-allele

legend. For the demonstration of concept of inheritance only free ear lobes are used. The human has 46 chromosomes and each chromosome contain the genetic material or DNA.

### MATERIALS AND METHODS

The dipstick is used for evaluation of specific gravity of urine. When the dipstick is dipped into urine solution then the color changed and when color changed the urine is present and the specific gravity of urine is different in different sample.


# Statistical analysis

This was done by ms excel.

## **RESULTS AND DISCUSSION**

This project shows that the people with attached ear lobe have average specific gravity 1.02% in urine and standard deviation 0.007% but the people with free ear lobe have 9.95% standard deviation. The p value is 0.2.





## CONCLUSION

This shows that the specific gravity of urine has no relation with attached ear lobe.

### **REFERENCES**

**Qadir MI, Malik SA** (2010) Comparison of alterations in red blood cell count and alterations in hemoglobin concentration in patients suffering from rectal carcinoma undergoing 5-fluorouracil and folic acid therapy. Pharmacologyonline, NI 3: 240-243.

**Qadir MI, Noor A** (2018) Anemias. Rare & Uncommon Diseases. Cambridge Scholars Publishing. Newcastle, England. ISBN: 978-1-5275-1807-0.

**Qadir MI, Javid A** (2018) Awareness about Crohn's Disease in biotechnology students.

Glo Adv Res J Med Medical Sci, 7(3): 062-064.

**Qadir MI, Saleem A** (2018) Awareness about ischemic heart disease in university biotechnology students. Glo Adv Res J Med Medical Sci, 7(3): 059-061.

**Qadir MI, Ishfaq S** (2018) Awareness about hypertension in biology students. Int J Mod Pharma Res, 7(2): 08-10.

**Qadir MI, Mehwish** (2018) Awareness about psoriasis disease. Int J Mod Pharma Res, 7(2): 17-18.

**Qadir MI, Shahzad R** (2018) Awareness about obesity in postgraduate students of biotechnology. Int J Mod Pharma Res, 7(2): 14-16.

2019 November Edition | www.jbino.com | Innovative Association



Qadir MI, Rizvi M (2018) Awareness about thalassemia in post graduate students. MOJ Lymphology & Phlebology, 2(1): 14-16.

Qadir MI, Ghalia BA (2018) Awareness survey about colorectal cancer in students of M. Phil Biotechnology at Bahauddin Zakariya University, Multan, Pakistan. Nov Study, 1(3): Appro in Can NACS.000514.2018.

Qadir MI, Saba G (2018) Awareness about intestinal cancer in university student. Nov Appro in Can Study, 1(3): NACS.000515.2018.

